JOURNAL OF THE KANSAS ENTOMOLOGICAL SOCIETY
60(4), 1987, pp. 593–597

INDEX TO VOLUME 60

abnormal eggs of stoneflies, 588
abstracts of papers from 62nd annual meeting, 483
Acarina, Oribatei, 485
Acrididae, prey of sphecid wasps, 477
Acyrthosiphon kondoi, 557
Ageopsis nigricollis, use of horns, 504
Ahring, R. M., 158
Aiolopus thalassinus tamulus, prey of *Prionyx*, 477
Alcock, J., 41
alfalfa, pollination by *Megachile apicalis*, 583
alfalfa leafcutter bee, biology, 70
Anacroneuria ***comanche***, n. sp., 344
Andrena montrosensis, 576
annual meeting, C.S.E.S., notice, 575
Anthophoridae, 15
Anthophoridae, 249
Anthophoridae, 305
Anthophoridae, pollen dispersal by, 489
ants, defensive and aggressive behavior, 569
ants, slave-making, biology, 479
Apanteles fumiferanae, 25
Aphelinus, parasitoid of aphids, 559
Aphididae, on alfalfa, 557
aphids, pests of small grains, 483
Aphidius, parasitoid of aphids, 559
Apidae, 4
Apidae, structure, 162
Apis, pollen dispersal by, 489
Apoidea, 335
Arduser, M.S., 324
Arnold, D.C., 158
arthropod predators, of stable fly, 562
assortative mating, by size, in Meloidae, 41

Bailey, W.C., 584
Balsbaugh, E.U., 30
banded sunflower moth, phenology, 517
Barelli, N., 162
Barthell, J.F., 133
basal lamina of midgut epithelium, 147
Batra, S.W.T., 100
Bauernfeind, R.J., 336
Baumann, R.W., 344
bees, Andrenidae, 576; Megachilidae, 583
bees, cleptoparasitic, 324
bees, colony cycles, 510
bees, *Melissodes apicata* in Illinois, 335
bees, olfactory discs in, 380
bees, pollen dispersal by, 489
bees, South American anthophorids, 305
bees, stingless, structure of head, 162
behavior, courtship, of *Cyaneolytta* spp., 288
behavior, defensive, in ants, 569
behavior, foraging, in *Dytiscus* larvae, 92
behavior, intra-nest, in sweat bee, 58
behavior, mating, in *Glenostictia*, 264
behavior, nesting, of *Centris*, 249
behavior, nesting, of *Ropalidia*, 549
behavior, nesting, of *Tachysphex*, 408
behavior, of *Cerceris*, 397
behavior, of *Dialictus laevissimus*, 100
behavior, of male *Bombus sonorus*, 541
behavior, of Membracidae, 403
behavior, of *Polistes*, 347
Belcher, D.W., 127
Beregovoy, V.H., 517
Bermuda grass, wheat stem maggot in, 158
Berothidae, 150
Berry, I., 350
biology, of *Diabrotica* spp. in laboratory, 446
biology, of *Halictus ligatus*, 510
biology, of *Oliveridia* ***hugginsi***, n. sp., 451
biology, of slaving-making ants, 479
biotypes, of *Nomuraea* in noctuid larvae, 156
Bittacidae, midgut epithelium, 147
black flies, of Nebraska, 528
Blattidae, 389
Blocker, H.D., 153
blue alfalfa aphid, 557
Bolbomyia, revision, 433; key, 435
Bombus sonorus, behavior, 541
Bouseman, J.K., 335
Boxler, D.J., 350
Braconidae, 25
Branson, T.F., 446
Brewer, J.W., 133
Brushwein, J.R., 150
Buchmann, S.L., 489
Bueno Moraes, M.M., 162
bumble bees, behavior of males, 541
Burton, R.L., 483
Byers, G.W., 1
Byers, G.W., 334

Caenoprosopidini, classification, 305
Caenoprosopina new genus, 312; ***holmbergi*** n. sp., 312
Campbell, J.B., 350
Cane, J.H., 145
Cane, J.H., 264
capillary fringe, Chironomidae of, 153
Capinera, J.L., 51
Capinera, J.L., 159
Cardiochiles nigriceps, parasite of tobacco budworm, 421
Carlson, C.E., 584
Casey, M.A., 535
Cecidomyiidae, spindle gall midge, 133
Centris flavofasciata, nesting habits, 249
Ceratopogonidae, in pitcher plants, 339
Ceratozetidae, oribatid mites, 485
Cerceris cribrosa, 397
Charlet, L.D., 426
Cheetham, T., 147
Chinch bugs, 336
Chironomidae, 167
Chironomidae, anatomy of adults, pupa, 451
Chironomidae, in pitcher plants, 339
Chironomidae, of capillary fringe, 153
Chloropidae, 158
Chrysididae, 83

Chrysomelidae, biology, 446
Chrysomelidae, classification, 30
Chrysomelidae, corn rootworm, 535
Chrysomelidae, northern corn rootworm, 462
Clark, W.H., 477
Clement, S.L., 535
Cleptoparasitic Halictidae, 324
clustering behavior, in bees, 4
Coccinella septempunctata, 584
Cochylis hospes, 517
cockroach, density and movement, 389
Coler, R.R., 389
Collembola, from Colombia, 364
colony cycles, of *Halictus ligatus*, 510
competition, by males of *Glenostictia*, 264
competitors of stable fly, 562
Coreidae, 353
corn rootworm, in Ohio, 535
corn rootworm, northern, food of adults, 462
courtship behavior, of *Cyaneolytta* spp., 288
Coville, R.E., 249
Cox, P.G., 588
Cranshaw, W., 133
Cucurbita, pollen dispersal by bees, 489
Culicoides, in pitcher plants, 339
Curculionidae, 361
Curculionidae, sunflower stem weevil, 426
cutworm, black, phase variation in, 484
Cyaneolytta fryi, biology, 288; *maculifrons*, behavior, 290
Cylindrocopturus adspersus, 426

Daccordi, M., 30
defensive behavior, by *Pheidole*, 569
degree-days, effect on sunflower stem weevil, 426
de la Rosa, C.L., 339
density estimates, of cockroaches, 389
Detling, J.K., 51
detoxification enzymes, 421
Diabrotica, in corn in Ohio, 535
Diabrotica barberi, diet, 462
Diabrotica tibialis, biology, 446
Diadasia rinconis, life history, 15
Dialictus laevissimus, biology, 100
dimorphism, in horns of male scarab beetles, 504
Dinkins, R.L., 483
discrimination of nests by social wasps, 65
dispersal, of *Lygaeus kalmii*, 109
Diuraphis noxia, 580
Diuraphis noxia, on small grains, 483
Dolichovespula maculata, nest recognition, 65
Downing, H., 347
Dryopoidea, 330
Dyer, M.I., 51
Dytiscidae, 92
Dytiscus verticalis, larval feeding, 92

Eberhard, W.G., 504
ecology, of *Tachysphex*, 408
Elateridae, attracted to moth pheromone, 577
Elateridae, larvae of, 127
Elkinton, J.S., 389
Elliott, L., 264
Elliott, N.B., 397
Elliott, N.C., 25
Elliott, W.M., 397
emergence, factors affecting, in sunflower stem weevil, 426
Emerson, K.C., 332
Endochironomus, 167
Endotribelos, new genus, 237
energy utilization, in bees, 4
estimation of size of bees, 145
ethology, of *Dialictus*, 100
Evans, E.W., 109

fecundity, of aphids on small grain, 580
feeding site selection, by *Irbisia*, 316
Feener, D.H., 569
Ferguson, I.D., 65
Ferrington, L.C., 153
Ferrington, L.C., 451
fighting, by male scarab beetles, 504
Fisher, J.R., 462
Fix, L.A., 421
floral records, for *Diadasia rinconis*, 21
food quality, for adults of northern corn rootworm, 462
foraging tactics, by *Dytiscus* larvae, 92
Formanowicz, D.R., 92
Formicidae, behavior of *Pheidole*, 569
Formicidae, slave-making ants, 479
foxes, Mallophaga on, 332
Frankie, G.W., 133
Frankie, G.W., 249
Fuscozetes ***cuauhtemoctzini***, n. sp., 485

galls, midge, on pinyon pine, 133
Gamboa, G.J., 65
Garcia, C., 156
Gentry, C., 4
Geometridae, potential pests of sorghum, 476
Gibbs, P.R., 479
Glypta fumiferanae, 25
grain sorghum, geometrid pest of, 476
grama grass, blue, 51
grasses, growth after defoliation, 51
grasses, range, Miridae feeding on, 316
grasshopper, defoliation of grasses by, 51
grasshopper, simulated effects on spring-planted grains, 77
Grodhaus, G., 167

Hadley, N.F., 41
Halictidae, biology, 100
Halictidae, cleptoparasitic, 324
Halictidae, colony cycles, 510
Halictidae, intranest behavior, 58
Halictus ligatus, biology, 510
Hall, R.D., 562
Hansen, J.D., 316
Helianthus spp., infested by *Cochylis*, 517
Heliothis virescens, parasitized by braconid, 421
hickory shuckworm, 483
Hogue, A.B., 588
honey bees, African, 4, European, 4
honey dew, food for parasitoid wasps, 25
honey locust, membracids on, 273

horns, dimorphism of in male scarab beetles, 504
Howard, J.J., 380
hybridization, in *Andrena*, 576
Hyder, D.E., 361
Hydroprene, effect on *Leptacoris*, 353

Ichneumonidae, 25
Ignoffo, C.M., 156
immature forms, of *Cyaneolytta*, 288
insecticides, effects of temperature, 350
insecticides, residual effectiveness against chinch bugs, 336
International Congress of Entomology (1988), 248
intertegular span, of bees, 145
Irbisia pacifica, feeding, 316

Jackson, M.A., 577
Johnson, L.K., 380
Johnston, A.A., 483
Jones, J.K., 65

Kaur, A., 353
Keaster, A.J., 484
Keaster, A.J., 577
Kimsey, L.S., 83
Kishen, B., 353
Knerer, G., 510
Kring, T.J., 476
Krysan, J.L., 446
Kuehl, R.O., 489
Kukuk, P.F., 58
Kurczewski, E.J., 408, 467
Kurczewski, F.E., 118, 408, 467

lady beetle, seven-spotted, in Iowa and Missouri, 584
Lance, D.R., 462
Lanham, U.N., 576
larvae, of Chironomidae, 167
larvae, of Diptera, in pitcher plants, 339
Lasioglossum erythrurum, behavior, 58
Lentz, D.L., 588
Lepidocyrtus ***nilatus*** n. sp., 366
Leptocoris coimbatorensis, 353
Levine, E., 577
Lewis, E.E., 484
Lewis, R., 147
lice, chewing, on foxes, 332
Limnichidae, 330
Limnichoderus ***placidus*** n. sp., 330; ***seclusus*** n. sp., 330
Limnophyes, in pitcher plants, 339
Lomamyia longicollis, 150
Longair, R.W., 264
Loye, J.E., 403
Lygaeidae, 109
Lygaeidae, chinch bug control, 336
Lygaeus kalmii, dispersal, 109
Lytta magister, mating of, 41

Mallophaga, 332
Manglitz, G.R., 557
Mantispidae, variation in, 341
Martinez-Crespo, A.C., 485
mating, assortative, in Meloidae, 41
mating, multiple, in *Lygaeus kalmii*, 109
mating aggregations, of *Glenostictia*, 264
mating behavior, in *Glenostictia*, 264
McCartney, D.A., 535
Mecoptera, midgut epithelium, 147
Megachile apicalis, 583
Megachile brevis pseudobrevis, host of *Nemognatha*, 280
Megachile rotundata, biology, 70
Megachilidae, alfalfa leafcutter bee, 70
Megachilidae, hosts of *Nemognatha*, 280
Melanoplus spp., prey of *Tachysphex*, 118
Melanoplus spp., prey of *Tachysphex*, 408
Melanotus, attracted to moth pheromone, 577
Meliponinae, olfactory discs, 380
Melissodes apicata, 335
Meloidae, 280
Meloidae, 288
Meloidae, assortative mating by size, 41
Membracidae, 273
Membracidae, 403
Mermis nigrescens, in grasshoppers, 159
Mermithidae, 159
Meromyza americana, in Bermuda grass, 158
Michener, C.D., 324
Microcentrus perditus, 403
Micrutalis calva, biology, 273
midgut epithelium, structure, 147
milkweed, host of *Lygaeus kalmii*, 109
Miridae, feeding, 316
mites, oribatid, 485
morphological variation, in *Plega*, 341
movement patterns, of cockroaches, 389
Muscidae, stable fly, 562
Mutt, J.A.M. 364

Nastase, A.J., 139
Nematoda, 159
Nemognatha punctulata, triungulin, 280
nest, of *Megachile brevis*, 280
nest architecture, of *Centris*, 249
nest architecture, of *Dialictus*, 100; of *Tachysphex*, 118
nest architecture, of Pompilidae, 471
nest discrimination, by social wasps, 65
nesting behavior, of *Centris*, 249
nesting behavior, of *Dialictus*, 100, of *Tachysphex* spp., 118
nesting behavior, of *Ropalidia*, 549
nesting behavior, of *Tachysphex*, 408
nest usurpation, in *Cerceris*, 397
Nixon, P.L., 273
Noctuidae, infected with *Nomuraea*, 156
Noctuidae, tobacco budworm, 421
nomenclature, of *Andrena*, 576
Nomuraea rileyi, in noctuid larvae, 156
northern corn rootworm, 535
northern corn rootworm, food of adults, 462
Norton, R.A., 467.
notice of annual meeting (1988), 575
notice of 18th International Congress of Entomology (1988), 248
nymphs, of *Micrutalis calva*, 277

Obrycki, J.J., 584
olfactory disc, in bees, 380
Oliveridia ***hugginsi***, n. sp., 452
Oocyte resorption, in *Leptocoris*, 353
Ordway, E., 15
Ordway, E., 489
Oseto, C.Y., 361

Packer, L., 280
Packer, L., 510
Palacios-Vargas, J.G., 485
paper wasp, from Madagascar, 549
Paradialictus, anatomy, 324
parasitism, of grasshoppers by mermithids, 159
parasitism, of *Megachile* by *Nemognatha*, 280
parasitism, of tobacco budworm, 421
parasitoids, of blue alfalfa aphid, 557
Parnopes ***bajaensis*** n. sp., 87
Parnopinae, review of, 83; key, 84
pecan, hickory shuckworm pest of, 483
Peponapis, pollen dispersal by, 489
Periplaneta americana, 389
Peterson, B.V., 528
Pheidole morrisi, 569
pheromone traps, for sunflower moth, 517
phorate, use to control wireworms, 127
Pinyonia edulicola, biology, 133
pitcher plants, fly larvae in, 339
Plagiodera, revision, 30; ***seenoi*** n.sp., 39
Plapp, F.W., 421
Plecoptera, 344
Plecoptera, eggs of, 588
Plega dactylota, variation in, 341; synonymy, 342
Pleuroprucha insulsaria, in sorghum, 476
Polistes fuscatus, nest recognition, 65
Polistes pacificus, behavior, 347
pollen dispersal, by bees, 489
pollination, of alfalfa by *Megachile apicalis*, 583
Polyergus lucidus, biology, 479
Pompilidae, nearctic, prey records, 467
population dynamics, of hickory shuckworm, 483
pore plates, in bees, 380
Praon, parasitoid of aphids, 559
predators, of stable fly, 562
prey detection, by *Dytiscus* larvae, 92
prey records, for Pompilidae, 467
Price, R.D., 332
Prionyx viduatus, 477
Pruess, K.P., 528
pupa, of Chironomidae, 167
pupa, of *Oliveridia hugginsi*, 451
Puttler, B., 584

Raja, S., 353
Reid, W., 483
resorption of Oocytes, in *Leptocoris*, 353
Rethwisch, M.D., 557
revision, of *Bolbomyia*, 433
Rhagionidae, 433
Rice, M.E., 153
Rice, M.E., 341
Richards, K.W., 70
Richter, M.R., 347
Richter, W., 347
Riemann, J.G., 517
Roig-Alsina, A., 305
Ropalidia formosa, 549

Saether, O.A., 451
Salina ***dedoris*** n.sp., 370; ***hermana*** n.sp., 370
Sapio, F.J., 25
Scaptotrigona postica, 162
Scarabaeidae, fighting, 504
Schaalje, G.B., 70
Schizaphis graminum, 580
Schwarz, M., 58
secondary sexual characters in *Smicronyx*, 361
Selander, R.B., 288
sensilla, in bee antennae, 380
seven-spotted lady beetle, 584
Shelly, T.E., 541
Shipman, C.W., 489
Simmons, G.A., 25
simulation, of grasshopper damage to grains, 77
Simuliidae, of Nebraska, 528
size estimation, of bees, 145
Simicronyx fulvus, 361; *sordidus*, 361
Smith, J.P., 562
Solenopsis, attacking *Pheidole*, 569
Spermatophore, of meloid beetles, 41
Sphaeridia aserrata n.sp., 374
Sphecidae, 118
Sphecidae, 264
Sphecidae, 477
Sphecidae, nest usurpation, 397
Specidae, nesting behavior, 397, 408
spiders, as prey of Pompilidae, 467
spindle gall midge, 133
sponsor members of C.S.E.S., 568
stable fly, insecticide control of larvae, 350
stable fly, predator of, 562
Stark, B.P., 344
Stark, B.P., 588
Starks, K.J., 483
Starks, K.J., 580
Stephen, W.P., 583
Steward, V.B., 476
Stingless bees, olfactory discs of, 380
stingless bees, structure, 162
Stoltenow, C.R., 584
Stomoxys calcitrans, insecticide control of larvae, 350
Stomoxys calcitrans, predators of 562
stonefly, abnormal eggs of, 588
stonefly, new species from Texas, 344
Stort, A.C., 162
sunflower moth, banded, 517
sunflower stem weevil, 426
sweat bee, *Lasioglossum*, behavior, 58
Synendotendipes new genus, 198; ***luski*** n.sp., 202
synonymy, in *Bolbomyia*, 433

Tachysphex pompiliformis group, nesting behavior, 118
Taylor, O.R., 4
Tegrodera aloga, mating of, 41
temperature, effects on fecundity of aphids, 580

temperature effects on insecticides, in stable fly control, 350
temperature, effect on leafcutter bee, 70
Tenne, F.D., 127
terbufos, use to control wireworms, 127
Thakur, S.S., 353
thermoregulation, in bees, 4
Thomas, G.D., 562
Thompson, H.E., 273
Tipula stylifera, synonym of *T. longiventris*, 334
Tipulidae, 334
tobacco budworm, parasitism of, 421
Tollefson, J.J., 577
Tortricidae, pheromone attractive to Elateridae, 577
treehopper, behavior, 403
Tribelos, 167; ***subletteorum*** n.sp., 232
Trichodectidae, 332
triungulin, of *Cyaneolytta fryi*, 288, 296
triungulin, of *Nemognatha punctulata*, 280
trophallaxis, by sweat bees, 58
tufted apple budmoth, 577
Turpin, F.T., 577

Urrelo, R., 153
usurpation of nests, in *Cerceris*, 397

Van Driesche, R.G., 389
Vargo, E.L., 479
variation, in phases of black cutworm, 484
variation, morphological, in *Plega*, 341
venation, of *Lomamyia*, 150
Vespidae, behavior, 347
Vespidae, nesting behavior, 549
Villa, J.D., 4
Villalobos, E.M., 541
Vinson, S.B., 249

Walmsley, M.R., 51
Wasp, *Ropalidia*, behavior, 549
wasps, social, nest discrimination by, 65
Webb, D.W., 433
Webster, J.A., 483
Webster, J.A., 580
Weiss, M.J., 77
Wenzel, J.W., 549
Western corn rootworm, 535
wheat, yield and quality influenced by simulated grasshopper damage, 77
wheatgrass, western, 51
wheat stem maggot, 158
Whitfield, G.H., 70
wildflowers, food for parasitoid wasps, 25
wireworms, control of in corn, 127
Woodruff, L.C., obituary, 1
Wooldridge, D.P., 330

Xenoglossa, pollen dispersal by, 489
Xenyllodes ***palaciosi*** n.sp., 365

Yearian, W.C., 476

Zoraptera, in Kansas, 153